

Neuton POWER[®] Revolution[®] in Power^K



YHI POWER

Battery Power You Can Rely On



VICTORIA

HEAD OFFICE 20-22 Venture Way, Braeside, VIC 3195
SUNSHINE WEST 124 Fairbairn Road, Sunshine West, VIC 3020

NEW SOUTH WALES

8 Penelope Crescent, Arndell Park, NSW 2148

QUEENSLAND

498 Progress Rd, Wacol, QLD 4076

WESTERN AUSTRALIA

16 Ernest Clark Road, Canning Vale, WA 6155

SOUTH AUSTRALIA

2/497 Cross Keys Rd, Cavan, SA 5094

DEPOTS

- Bendigo, VIC
- Shepparton, VIC
- Somerton, VIC
- Warragul, VIC
- Cairns, QLD
- Rockhampton, QLD
- Sunshine Coast, QLD
- Toowoomba, QLD

RELIABILITY . PERFORMANCE . LIFE . EXTRA POWER

www.yhipower.com.au

T 1300 722 028

NEUTON POWER K PRODUCT SPECIFICATIONS






NPK CODE	CROSS REFERENCES	CCA	EN	RC	A/H	L	W	T/H	KG	A	WARRANTY
SMALL VEHICLE RANGE - Commercial 12 Months, Taxi's 6 Months, Police Vehicles 6 Months											
K38B19L	NS40ZLMF / S40B20L	340		55	38	187	127	222	9.2	A (s)	24 Months
K38B19R	NS40ZMF / S40B20R	340		55	38	187	127	222	9.2	B (s)	24 Months
K38B19FL*	NS40ZLMF / S40B20L	340		55	38	187	127	222	9.2	A (s)	24 Months
K38B19LS	NS40ZALMF / S40B20LS	340		55	38	187	127	222	9.3	A	24 Months
K38B19RS	NS40ZAMF / S40B20RS	340		55	38	187	127	222	9.3	B	24 Months
K46B24L	NS60LMF / S55B24L	430		71	45	235	127	222	11.7	A (s)	24 Months
K46B24R	NS60ZMF / S55B24R	430		71	45	235	127	222	11.7	B (s)	24 Months
K46B24LS	NS60ZALMF / S55B24LS	430		71	45	235	127	222	11.8	A	24 Months
K46B24RS	NS60ZAMF / S55B24RS	430		71	45	235	127	222	11.8	B	24 Months
K50D20L	50D20L	450		80	50	200	172	220	12.8	A	24 Months
K50D20R	50D20R	450		80	50	200	172	220	12.8	B	24 Months
**F=Front Ledge (s) = Small Terminal											
HEAVY DUTY PASSENGER RANGE - Commercial 12 Months, Taxi's 6 Months, Police Vehicles 6 Months											
K85L450	NS50PLMF / 22F530SMF	450		75	45	231	172	200	12.6	A	12 Months
K85R450	NS50P / 22FR530SMF	450		75	45	231	172	200	12.6	B	12 Months
K85L550	NS50PLMF / 22F530SMF	550		95	55	231	172	200	13.5	A	24 Months
K85DFL550	NS50PLMF / 22F530SMFDF	550		95	55	240	172	203	13.6	F	24 Months
K85R550	NS50P / 22FR530SMF	550		95	55	231	172	200	13.5	B	24 Months
K85EFR550	NS50PMF / AU22R530SMF	550		95	55	231	172	200	13.5	B	24 Months
K55D23LX	MF55D23L / S55D23L	550		100	60	231	172	220	14.9	A	24 Months
K55D23R	MF55D23R / S55D23R	550		100	60	231	172	220	14.9	B	24 Months
US HEAVY DUTY RANGE (Dual Posts)											
K78-670	78-800 / S786MF	670		120	70	260	179	181	16.2	Side	24 Months
K65D	MF65 / 65-875	750		140	80	287	187	192	18	B	24 Months
EUROPEAN VEHICLE RANGE - Commercial 12 Months, Taxi's 6 Months, Police Vehicles 6 Months											
K54317	37AMF / S54519	360	330	60	35	207	173	175	10.6	A	24 Months
K54437	DIN44LHMF / S55066	410	390	71	44	207	173	190	11.9	A	24 Months
K55519	N55MF / S55457	500	480	90	54	242	173	175	13.5	A	24 Months
K55520	N55RRMF / S55458	500	480	90	54	242	173	175	13.5	B	24 Months
K55530	N55HMF / S55559	500	480	90	55	242	173	190	14.1	A	24 Months
K56318	N66MF / S56318	670	640	120	71	276	173	175	16.3	A	24 Months
K56319	N66RMF / S56640	670	640	120	71	276	173	175	16.3	B	24 Months
K56638	N66HMF / S56638	700	680	130	74	276	173	190	17.6	A	24 Months
K56639	N66HRMF / S56640	700	680	130	74	276	173	190	17.6	B	24 Months
K57539	77MF / MF77	750	720	140	80	315	173	175	18.3	A	24 Months
K58043	77HMF / MF77H	750	720	160	90	315	173	190	20.0	A	24 Months
K58044	77RHMF / MF77RH	750	720	160	90	315	173	190	20.0	B	24 Months
K58588	N88MF / S58515	780	740	160	90	351	173	175	20.2	A	24 Months
K60044	N88HMF / S58827	870	850	180	100	351	173	190	22.9	A	24 Months
STOP START (EFB & AGM)											
KEFB55530	EFB STOP-START VEHICLES	600	560	100	60	242	173	190	17	A	24 Months
KEFB56318	EFB STOP-START VEHICLES	670	650	130	65	276	173	175	17.8	A	24 Months
KEFB56638	EFB STOP-START VEHICLES	700	650	120	70	276	173	190	19.7	A	24 Months
KEFB57539	EFB STOP-START VEHICLES	750	730	150	75	315	173	175	20	A	24 Months
KEFB58043	EFB STOP-START VEHICLES	780	730	140	80	315	173	190	22.3	A	24 Months
KEFB60044	EFB STOP-START VEHICLES	950	900	170	95	351	173	190	24.9	A	24 Months
KEFB46B24L	EFB STOP-START VEHICLES	460	420	71	45	235	127	222	13.7	A(s)	24 Months
KEFB46B24R	EFB STOP-START VEHICLES	460	420	71	45	235	127	222	13.7	B(s)	24 Months
KEFB55D23L	EFB STOP-START VEHICLES	670	640	110	65	231	172	220	17.3	A	24 Months
KEFB55D23R	EFB STOP-START VEHICLES	670	640	110	65	231	172	220	17.3	B	24 Months
KEFB95D31L	EFB STOP-START VEHICLES	800	760	140	80	303	172	220	22.4	A	24 Months
KEFB95D31R	EFB STOP-START VEHICLES	800	760	140	80	303	172	220	22.4	B	24 Months

NEUTON POWER K PRODUCT SPECIFICATIONS

NPK CODE	CROSS REFERENCES	CCA		RC	A/H	L	W	T/H	KG	A	WARRANTY
COMMERCIAL VEHICLE RANGE - 12 Months Warranty *24 Months for Private Use Only*											
K80D26RX	NS70MF / S80D26R	600		120	70	258	172	220	16.8	B	*24 Months*
K80D26LX	NS70LMF / S80D26L	600		120	70	258	172	220	16.8	A	*24 Months*
K80D31R	N70ZMF / S80D31R	600		120	70	303	172	220	18.3	B	12 Months
K80D31L	N70ZLMF / S80D31L	600		120	70	303	172	220	18.3	A	12 Months
K95D31R	N70ZZMF / S95D31R	670		140	80	303	172	220	19.4	B	*24 Months*
K95D31L	N70ZZLMF / S95D31L	670		140	80	303	172	220	19.4	A	*24 Months*
K105D31R	N70ZZMF / S95D31R	750		160	90	303	172	220	20.5	B	*24 Months*
K105D31L	N70ZZLMF / S95D31L	750		160	90	303	172	220	20.5	A	*24 Months*
KG31-1000	31MF / S31900MF	1000		190	110	330	172	240	25.6	C	12 Months
KG31-100T	31MF / S31900MF	1000		190	110	330	172	240	25.6	D	12 Months
KN100/L	N100MF / SN100	830		180	100	408	172	230	25.1	B/A	12 Months
KN120	N120MF / SN120	870		230	120	506	182	233	33.4	H	12 Months
KN150	N150MF / SN150	1000		300	150	506	215	233	39.2	H	12 Months
KN200	N200MF / SN200	1200		430	200	509	274	240	51.7	H	12 Months
KN120EN	N120ENMF(Low) / SN120L(Low)	900	800	260	145	514	189	215	35	I	12 Months
KN150EN	N150ENMF / N94** / SN150L(Low)	1000	900	320	160	514	223	215	40.9	I	12 Months
KN200EN	N200ENMF / SN200L	1250	1150	430	210	518	273	235	55.3	I	12 Months
STOP START											
KEFB55530	EFB STOP-START VEHICLES	600	560	100	60	242	173	190	17	A	24 Months
KEFB56318	EFB STOP-START VEHICLES	670	650	130	65	276	173	175	17.8	A	24 Months
KEFB56638	EFB STOP-START VEHICLES	700	650	120	70	276	173	190	19.7	A	24 Months
KEFB57539	EFB STOP-START VEHICLES	750	730	150	75	315	173	175	20	A	24 Months
KEFB58043	EFB STOP-START VEHICLES	780	730	140	80	315	173	190	22.3	A	24 Months
KEFB60044	EFB STOP-START VEHICLES	950	900	170	95	351	173	190	24.9	A	24 Months
KEFB46B24L	EFB STOP-START VEHICLES	460	420	71	45	235	127	222	13.7	A(s)	24 Months
KEFB46B24R	EFB STOP-START VEHICLES	460	420	71	45	235	127	222	13.7	B(s)	24 Months
KEFB55D23L	EFB STOP-START VEHICLES	670	640	110	65	231	172	220	17.3	A	24 Months
KEFB55D23R	EFB STOP-START VEHICLES	670	640	110	65	231	172	220	17.3	B	24 Months
KEFB95D31L	EFB STOP-START VEHICLES	800	760	140	80	303	172	220	22.4	A	24 Months
KEFB95D31R	EFB STOP-START VEHICLES	800	760	140	80	303	172	220	22.4	B	24 Months
NPK CODE	CROSS REFERENCES	CCA	MCA	RC	A/H	L	W	T/H	KG	A	WARRANTY
MARINE RANGE (DUAL POSTS)											
KM24	M50MF / M24SMF630	650	810	130	75	258	172	221	17.7	B	18 Months
KM27/L	M70MF / M27SMF730	750	920	160	90	303	172	221	20.9	B/A	18 Months
KM31	86MF / M31	900	1120	185	105	330	172	238	25	B	18 Months
MRV RANGE (DUAL POSTS)											
KMRV24	N50MF	650	810	145	80	258	172	221	19.2	B	18 Months
KMRV27/L	N70MF	750	920	170	90	303	172	221	22.1	B/A	18 Months
KMRV31	31-MF	900	1000	195	105	330	172	238	25.3	B	18 Months
DEEP CYCLE (DUAL POSTS)											
KDC27/L	DC70/70L			180	105	303	172	221	22.9	B/A	12 Months
LAWN MOWER RANGE (DUAL POSTS)											
KU1-300	12N24-4 / 12N244WC	300		25	19	195	130	183	7.5	G	12 Months
KU1R-300	12N24-3 / 12N243WC	300		25	19	195	130	183	7.5	F	12 Months
KU1-350	12N24-4 / 12N244WC	350		38	27	195	130	183	8.4	G	12 Months
KU1R-350	12N24-3 / 12N243WC	350		38	27	195	130	183	8.4	F	12 Months

KEY FEATURES FOR NEUTON POWER K BATTERIES

- **Punched Grid for Positive Plate**
 - Full framed round edge grid offers high starting power and durability
- **Calcium High Tin Alloy**
 - Optimized Calcium alloy provides maintenance free and corrosion resistance
- **Special Tissue on Plates**
 - Non-wooven tissue improve adhesion of active material
- **Safety & Convenience**
 - Flame arrester prevent explosion by spark
 - Built-in handle provides easy handling



AUSTRALIA WIDE DISTRIBUTION