

# Material Safety Data Sheet (MSDS)

Part Number: NPL12-100SL Issue Date: January 27, 2021

#### **Emergency Contact:**

Name: Address: Website: Phone number: Email address: YHI Power Pty Ltd 20-22 Venture Way, Braeside, VIC 3195 www.yhipower.com.au +61 03 9588 1888 / 0413 381 228 inquiry@yhipower.com.au

\* The MSDS is prepared based on the information provided by client. The contents and formats of this MSDS are revised as per client's request.

|                                   | 1. IDENTIFICATION   |
|-----------------------------------|---|
| Product identifier                |   |
| Product Name                      | LiFePO4 Battery (Model: B-LFP12-100)  |
| Other means of identification     |   |
| Product description               | Rating: 12.8Vd.c., 100Ah, 1280Wh<br>Weight: appr. 10.59kg<br>Dimensions: Max.: 190.0×175.0×350.0 (mm)     |
| Trademark                         | N/A   |
| Recommended use of the chen       | nical and restrictions on use   |
| Recommended Use                   | LITHIUM ION BATTERIES   |
| Restrictions on use               | No information available  |
| Details of the supplier of the M  | aterial safety data sheet   |
| Initial supplier identifier       | HUIZHOU WISDOM POWER TECHNOLOGY CO., LTD  |
| Address                           | ROOM 61, LAYER7, BUILDING B1, HAIYAN GREEN ISLAND MALL, NO.108,<br>HUIZHOU AVE, HUIZHOU, GUANGDONG, CHINA |
| Telephone                         | +86-752-2819469   |
| Website                           | https://www.lithium-battery-factory.com/  |
| E-mail                            | eric@bullsbattery.com   |
| Emergency telephone number        |   |
| Company Emergency Phone<br>Number | +86-752-2819469   |
|                                   | 2. HAZARDS IDENTIFICATION   |
| Classification_                   | LITHIUM ION BATTERIES   |

| Acute toxicity - Dermal                            | Category 4                |
|--|---------------------------|
| Skin corrosion/irritation                          | Category 1 Sub-category B |
| Serious eye damage/eye irritation                  | Category 1                |
| Skin sensitization                                 | Category 1                |
| Carcinogenicity                                    | Category 1B               |
| Specific target organ toxicity (repeated exposure) | Category 1                |

Report No.: KS2101S00282B04

GHS Label elements, including precautionary statements\_

#### Signal Word: Danger

Hazard Label



#### Hazard statements

This is a battery. In case of rupture:. Harmful in contact with skin Causes severe skin burns and eye damage May cause an allergic skin reaction May cause cancer Causes damage to organs through prolonged or repeated exposure

#### CAS#7429-90-5

#### **Classification according to GHS**

Substances and mixtures which, in contact with water, emit flammable gases (2, 3) Specific target organ toxicity, repeated exposure (1) (respiratory system) H261 in contact with water releases flammable gas H372 causes damage to organs through prolonged or repeated exposure (respiratory system)

#### CAS# 7440-50-8

#### **Classification according to GHS**

Sensitisation, skin(1, 1A, 1B) Specific target organ toxicity, single exposure (1)(digestive system) Specific target organ toxicity, single exposure; Respiratory tract irritation(3) H317 May cause an allergic skin reaction H370 causes damage to organs (digestive system) H335 May cause respiratory irritation

#### Precautionary Statements - Prevention CAS#7429-90-5

P223 Do not allow contact with water.
P231+ P232 Handle and store contents under inert gas, protect from moisture.
P280 wear protective gloves, protective clothing, eye protection and face protection.
P260 Do not breathe dust.
P264 wash skin and clothing thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

#### CAS# 7440-50-8

P260 Do not breathe dust, fume.
P272 contaminated work clothing should not be allowed out of the workplace.
P280 wear protective gloves, eye protection, face protection.
P264 wash skin and clothing thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 use only outdoors or in a well-ventilated area.

### Precautionary Statements - Response CAS#7429-90-5

P302+ P335+ P334IFON SKIN: Brush off loose particles from skin and immerse in cool water. P370+ P378 in case of fire: use the appropriate media put out the fire. P314 Get medical advice if you feel unwell.

Distributor - Australia: YHI Power Pty Ltd Email Address: inquiry@yhipower.com.au

Report No.: KS2101S00282B04

#### CAS# 7440-50-8

P302+ P352 IF ON SKIN: wash with plenty water. P333 +P313 if skin irritation or rash occurs: Get medical advice. P321 specific treatment (see additional emergency instructions). P362+ P364 Take off contaminated clothing and wash it before reuse P308+ P311 IF exposed or concerned: call a POISON CENTER. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 call a POISON CENTER if you feel unwell.

#### Eyes

Immediately call a POISON CENTER or doctor IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Skin

Call a POISON CENTER or doctor if you feel unwell Take off contaminated clothing and wash it before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

May be harmful if swallowed Very toxic to aquatic life Very toxic to aquatic life with long lasting effects

Distributor - Australia: YHI Power Pty Ltd Email Address: inquiry@yhipower.com.au

### Material Safety Data Sheet Report No.: KS2101S00282B04

3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable.

#### Mixture

| Chemical name                                 | CAS No.    | Weight-% | Hazardous Material<br>Information Review<br>Act registry number<br>(HMIRA registry #) | Date HMIRA filed and<br>date exemption<br>granted (if applicable) |
|---|------------|----------|---|---|
| Lithium iron phosphate<br>(LiFePO4)           | 15365-14-7 | 20~40    | 519   | · /   |
| Lithium<br>hexafluorophosphate<br>(LiPF6)     | 21324-40-3 | 10~20    | ÷.  | S. S.   |
| Aluminum (AL)                                 | 7429-90-5  | 10~20    | -   | -   |
| Carbon (C)                                    | 7782-42-5  | 10~20    |   | 20 -  |
| Copper (Cu)                                   | 7440-50-8  | 7~13     |   | × -   |
| Polyethylene (C <sub>2</sub> H <sub>4</sub> ) | 9002-88-4  | 1~5      | 100   | -   |

#### **4. FIRST AID MEASURES**

#### Description of first aid measures

| General advice                     | First aid is upon rupture of sealed battery. Show this Material safety data sheet to the doctor in attendance. Immediate medical attention is required. IF exposed or concerned: Get medical advice/attention.   |
|------------------------------------|--|
| Inhalation                         | Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. |
| Eye contact                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.   |
| Skin contact                       | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention. May cause an allergic skin reaction.   |
| Ingestion                          | Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.  |
| Self-protection of the first aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or   |
|                                    |  |

Distributor - Australia: YHI Power Pty Ltd Email Address: inquiry@yhipower.com.au

resuscitation.

Report No.: KS2101S00282B04 clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

| In the product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or carbon oxides.  |
|---|
| contraindicated. Possible perforation of stomach or esophagus should be<br>investigated. Do not give chemical antidotes. Asphyxia from glottal edema ma<br>occur. Marked decrease in blood pressure may occur with moist rales, frothy<br>sputum, and high pulse pressure. May cause sensitization in susceptible persons<br>Treat symptomatically.<br><b>5. FIRE-FIGHTING MEASURES</b><br>Use extinguishing measures that are appropriate to local circumstances and the<br>surrounding environment.<br>CAUTION: Use of water spray when fighting fire may be inefficient.<br>Do not scatter spilled material with high pressure water streams.<br>eThe product causes burns of eyes, skin and mucous membranes. Thermal<br>decomposition can lead to release of irritating gases and vapors. Product is or<br>contains a sensitizer. May cause sensitization by skin contact.<br>Carbon oxides. |
| Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>CAUTION: Use of water spray when fighting fire may be inefficient.<br>Do not scatter spilled material with high pressure water streams.<br>The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.<br>Carbon oxides.  |
| surrounding environment.<br>CAUTION: Use of water spray when fighting fire may be inefficient.<br>Do not scatter spilled material with high pressure water streams.<br>The product causes burns of eyes, skin and mucous membranes. Thermal<br>decomposition can lead to release of irritating gases and vapors. Product is or<br>contains a sensitizer. May cause sensitization by skin contact.<br>Carbon oxides.   |
| Do not scatter spilled material with high pressure water streams.<br>The product causes burns of eyes, skin and mucous membranes. Thermal<br>decomposition can lead to release of irritating gases and vapors. Product is or<br>contains a sensitizer. May cause sensitization by skin contact.<br>Carbon oxides.   |
| The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.<br>Carbon oxides.  |
| decomposition can lead to release of irritating gases and vapors. Product is or<br>contains a sensitizer. May cause sensitization by skin contact.<br>Carbon oxides.  |
|   |
| None.   |
|   |
| None.   |
| r Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.  |
| 6. ACCIDENTAL RELEASE MEASURES  |
| equipment and emergency procedures  |
| Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.   |
| Refer to protective measures listed in Sections 7 and 8.  |
| nment and cleaning up   |
| Prevent further leakage or spillage if safe to do so.   |
|   |
|   |

Distributor - Australia: YHI Power Pty Ltd Email Address: inquiry@yhipower.com.au

Report No.: KS2101S00282B04

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

#### Conditions for safe storage, including any incompatibilities

| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from moisture. Keep out of the reach of children. Store away from other materials. |
|--------------------|--|
|                    |  |

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Engineering Controls          | Use local exhaust ventilation or other engineering controls to control sources of dust, mist, fumes and vapor.  |  |
|-------------------------------|---|--|
|                               | Keep away from heat and open flame. Store in a cool, dry place.   |  |
|                               | Respiratory Protection: Not necessary under normal conditions.  |  |
| Personal Protective Equipment | Skin and body Protection: Not necessary under normal conditions, Wear suitable protective clothing and gloves if handling an open or leaking battery. |  |
|                               | Hand protection: Wear suitable gloves if handling an open or leaking battery.   |  |
| 2                             | Eye Protection: Not necessary under normal conditions, Wear safety glasses if handling an open or leaking battery.                                    |  |
| Other Protective Equipment    | Have a safety shower and eye wash fountain readily available in the immediate work area.  |  |
| Hygiene Measures              | Do not eat, drink, or smoke in work area. Maintain good housekeeping.   |  |

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties\_\_\_\_

Physical state Appearance Odor Color Odor Threshold

Property\_ pH Melting / freezing point Boiling point / boiling range Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit Lower flammability limit Vapor pressure Vapor density Solid Black No information available No information available No information available

Values\_\_\_\_\_\_ No data available No data available

No data available No data available No data available No data available

#### Remarks Method

None known None known None known None known None known None known

None known None known

Distributor - Australia: YHI Power Pty Ltd Email Address: inquiry@yhipower.com.au Contact Number: +61 03 9588 1888

 9588 1888
 Website: www.yhipower.com.au

 Address: 20-22 Venture Way, Braeside, VIC 3195

No data available

Insoluble in water

No data available

No information available.

No information available.

No information available

N/A

Report No.: KS2101S00282B04

None known

None known

None known None known None known None known

Relative density Water Solubility Solubility(ies) Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity

#### Other Information Explosive properties Oxidizing properties Softening Point Molecular Weight VOC Content (%) Liquid Density Bulk Density Particle Size Particle Size Distribution

#### **10. STABILITY AND REACTIVITY**

Reactivity No information available. **Chemical stability** Stable under normal conditions. **Possibility of Hazardous** None under normal processing. Reactions **Hazardous Polymerization** Hazardous polymerization does not occur. Conditions to avoid Exposure to air or moisture over prolonged periods. Incompatible materials Acids. Bases. Oxidizing agent. Carbon oxides. **Hazardous Decomposition** Products 11. TOXICOLOGICAL INFORMATION Risk of irritation occurs only if the cell is mechanically, thermally or electrically abused to the point of compromising the enclosure. If this occurs, irritation to the Irritation skin, eyes and respiratory tract may occur.

Sensitization Neurological Effects Teratogenicity Reproductive Toxicity Mutagenicity (Genetic Effects) Toxicologically Synergistic Materials Not Available Not Available Not Available Not Available Not Available

Distributor - Australia: YHI Power Pty Ltd Email Address: inquiry@yhipower.com.au

|  | 2/12  | Report No.: KS2101S00282B04  |
|--|---|--|
|  | 12. ECOLOGICAL INFORMAT   | ION  |
| Ecological Toxicity                                | Not Available   |  |
| Mobility in soil                                   | Not Available   |  |
| Persistence and Degradability                      | Not Available   |  |
| Bioaccumulation potential                          | Not Available   |  |
| Other Adverse Effects                              | Not Available   |  |
| 127  |   |  |
|  | 13. DISPOSAL CONSIDERATION  | ONS  |
| Waste treatment methods                            |   |  |
| Waste from residues/unused<br>products             | Dispose of in accordance with local regu<br>with environmental legislation.   | lations. Dispose of waste in accordance  |
| Contaminated packaging                             | Do not reuse empty containers.  |  |
|  | 14. TRANSPORT INFORMATI   | ON   |
| UN Number<br>-DOT, IMDG, IATA                      | UN 3480   | 207  |
| Transport information                              | LiFePO4 Battery (Sample Model: B-LFP<br>accordance with UN manual of Tests and<br>The goods shall be complied with the re-<br>Instruction 965 of 62nd DGR Manual of     | d Criteria, Part III, subsection 38.3.<br>quirements of Section IA of Packing  |
| ,<br>S   |   | oping to prevent short-circuiting. They<br>or support during transport, ensure that the<br>kage, prevent collapse of cargo piles and |
| Story.   | Lithium batteries shipped as "Lithium ba<br>equipment", or "Lithium batteries contair<br>"Dangerous Goods" when shipped in ac<br>IATA-DGR" or "special provision 188 of | ed in equipment" may not be classified as<br>cordance with "special provision A45 of   |
| Proper Shipping Name                               | Lithium ion Batteries (Including lithium io   |  |
|  | Lithium ion Batteries packed with equipm<br>batteries) or;  | nent (Including lithium ion polymer  |
|  | Lithium ion Batteries contained in equipr<br>batteries)   | nent (Including lithium ion polymer  |
| TDG  | Not regulated   |  |
| DOT  |   |  |
| Hazard Class<br>Emergency Response Guide<br>Number | 9<br>147  | 1 Car  |
| MEX  | Not regulated   | A. C.  |
| ICAO   | Not regulated   |  |
| IATA   |   |  |

Distributor - Australia: YHI Power Pty Ltd Email Address: inquiry@yhipower.com.au

Report No.: KS2101S00282B04

| IMDG/IMO<br>Hazard Class 9<br>EmS-No. F | -A, S-I   |                          |  |
|---|---|--------------------------|--|
| RIDN                                    | ot regulated  |                          |  |
| ADRN                                    | ot regulated  |                          |  |
| ADN N                                   | ot regulated  |                          |  |
|   | 15. REGULATORY I  | NFORMATION               |  |
| Law information                         | N.  | 142                      | 1  |
| (Dangerous Goods Regulations)           |   |                          |  |
| Recommendation on the Transport         | ÷   | del Regulations»         |  |
| (International Maritime Dangerous C     |   |                          |  |
| (Technical Instructions for the Safe    |   | oods》                    |  |
| Classification and code of dangerout    |   |                          |  |
| Occupational Safety and Health Ac       | . ,   |                          |  |
| (Toxic Substance Control Act) (TSC      |   |                          |  |
| (Consumer Product Safety Act) (CI       |   |                          |  |
| (Federal Environmental Pollution Co     | ontrol Act》(FEPCA)  |                          |  |
| (The Oil Pollution Act) (OPA)           | N/Y   |                          |  |
| Superfund Amendments and Reau           | the second se | 2/311/312/313)》(SARA)    |  |
| (Resource Conservation and Recov        |   |                          |  |
| (Safety Drinking Water Act) (CWA)       |   |                          |  |
| (California Proposition 65)             |   |                          |  |
| (Code of Federal Regulations) (CF       | R)  |                          |  |
| n according with all Endoral State or   | nd local laws.  |                          |  |
| In according with all Federal, State an |   |                          |  |
| m according with all rederal, State al  | 16. OTHER INFO  | RMATION                  |  |
| NFPA_Health hazard                      | 16. OTHER INFO  | RMATION<br>Instability 0 | Physical and                               |
| NFPA Health hazard                      | 16. OTHER INFO  | Instability 0            | <b>Chemical Properties</b>                 |
|   | 16. OTHER INFO  | X                        | Chemical Properties<br>Personal Protection |
| NFPA Health hazard                      | 16. OTHER INFO  | Instability 0            | <b>Chemical Properties</b>                 |

belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Material Safety Data Sheet

Distributor - Australia: YHI Power Pty Ltd Email Address: inquiry@yhipower.com.au